

EAST BRS Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	988	(((((writ\$3 or current) ADJ3 driver) or (drive\$1 ADJ circuit) or H-bridge) with (head or transducer)).clm.	US-PGPUB; USPAT	OR	ON	2006/07/06 18:00
L2	52280	(impedance).clm.	US-PGPUB; USPAT	OR	ON	2006/07/06 17:41
L3	88	L1 and L2	US-PGPUB; USPAT	OR	ON	2006/07/06 17:41
L4	1965	(((((writ\$3 or current) ADJ3 driver) or (drive\$1 ADJ circuit) or H-bridge) and (head or transducer)).clm.	US-PGPUB; USPAT	OR	ON	2006/07/06 17:43
L5	140	L4 and L2	US-PGPUB; USPAT	OR	ON	2006/07/06 17:43
L6	52	L5 not L3	US-PGPUB; USPAT	OR	ON	2006/07/06 18:00
L7	4038	((head or transducer) and impedance).clm.	US-PGPUB; USPAT	OR	ON	2006/07/06 18:00
L8	111046	(((((writ\$3 or current) ADJ3 driver) or (drive\$1 ADJ circuit) or H-bridge)	US-PGPUB; USPAT	OR	ON	2006/07/06 18:01
L9	435	L7 and L8	US-PGPUB; USPAT	OR	ON	2006/07/06 18:01
L10	295	L9 not L5	US-PGPUB; USPAT	OR	ON	2006/07/06 18:01
L11	55	L10 and (("360"/\$7).ccls. or ("327"/\$7).ccls.)	US-PGPUB; USPAT	OR	ON	2006/07/06 18:02
L12	51	impednace	USPAT	OR	ON	2006/07/06 18:29
L13	160594	impedance	USPAT	OR	ON	2006/07/06 18:29
L14	160595	L12 or L13	USPAT	OR	ON	2006/07/06 18:29
L15	503475	match\$3	USPAT	OR	ON	2006/07/06 18:29
L16	28283	L14 NEAR3 L15	USPAT	OR	ON	2006/07/06 18:29
L17	15268	((writ\$3 or current) ADJ3 driver) or H-bridge	USPAT	OR	ON	2006/07/06 18:29
L18	678	L16 and L17	USPAT	OR	ON	2006/07/06 18:29
L19	86	L18 and (360/46 or 360/68 or 327/108 or 327/110).ccls.	USPAT	OR	ON	2006/07/06 18:29
L20	50974	impedance	US-PGPUB	OR	ON	2006/07/06 18:32
L21	270276	match\$3	US-PGPUB	OR	ON	2006/07/06 18:32
L22	10079	L21 NEAR3 L20	US-PGPUB	OR	ON	2006/07/06 18:32
L23	7243	((writ\$3 or current) ADJ3 driver) or H-bridge	US-PGPUB	OR	ON	2006/07/06 18:32
L24	332	L22 and L23	US-PGPUB	OR	ON	2006/07/06 18:32

7/6/06 6:40:40 PM

C:\Documents and Settings\ddavidson\My Documents\EAST\Workspaces\10731252.wsp

Searched circled
L #1's

Page 1

EAST Search History

Updated

Updated

Updated

L25	43	L24 and (360/46 or 360/68 or 327/108 or 327/110).ccls.	US-PGPUB	OR	ON	2006/07/06 18:32
L26	13527	impedance NEAR3 match\$3	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:35
L27	4416	((writ\$3 or current) ADJ3 driver) or H-bridge	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:35
L28	53	L26 and L27	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:35
L29	51	impednace	USPAT	OR	ON	2006/07/06 18:36
L30	160594	impedance	USPAT	OR	ON	2006/07/06 18:36
L31	160595	L29 or L30	USPAT	OR	ON	2006/07/06 18:36
L32	503475	match\$3	USPAT	OR	ON	2006/07/06 18:36
L33	28283	L31 NEAR3 L32	USPAT	OR	ON	2006/07/06 18:36
L34	15268	((writ\$3 or current) ADJ3 driver) or H-bridge	USPAT	OR	ON	2006/07/06 18:36
L35	678	L33 and L34	USPAT	OR	ON	2006/07/06 18:36
L36	86	L35 and (360/46 or 360/68 or 327/108 or 327/110).ccls.	USPAT	OR	ON	2006/07/06 18:36
L37	24159	write ADJ3 (head or transducer)	US-PGPUB; USPAT	OR	ON	2006/07/06 18:36
L38	211568	impedance	US-PGPUB; USPAT	OR	ON	2006/07/06 18:36
L39	232	L37 same L38	US-PGPUB; USPAT	OR	ON	2006/07/06 18:36
L40	213	L39 not L36	US-PGPUB; USPAT	OR	ON	2006/07/06 18:36
L41	53	L26 and L27	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:36
L42	8518	write ADJ3 (head or transducer)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:36
L43	104834	impedance	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:36
L44	57	L42 same L43	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:36
L45	40	L44 not L41	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:36

EAST Search History

L46	40	L44 not L41	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:37
L47	93	L42 and L43	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:37
L48	75	L47 not L41	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:37
L49	35	L48 not L46	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:37
L50	135	L35 and (head or transducer)	USPAT	OR	ON	2006/07/06 18:37
L51	102	L50 not L36	USPAT	OR	ON	2006/07/06 18:37
L52	102	L50 not L36	USPAT	OR	ON	2006/07/06 18:38
L53	28	L35 and (326/82).ccls.	USPAT	OR	ON	2006/07/06 18:38
L54	19	L53 not (L36 or L52)	USPAT	OR	ON	2006/07/06 18:38
L55	50974	impedance	US-PGPUB	OR	ON	2006/07/06 18:38
L56	270276	match\$3	US-PGPUB	OR	ON	2006/07/06 18:38
L57	10079	L56 NEAR3 L55	US-PGPUB	OR	ON	2006/07/06 18:38
L58	7243	((writ\$3 or current) ADJ3 driver) or H-bridge	US-PGPUB	OR	ON	2006/07/06 18:38
L59	332	L57 and L58	US-PGPUB	OR	ON	2006/07/06 18:38
L60	70	L59 and (head or transducer)	US-PGPUB	OR	ON	2006/07/06 18:39
L61	5	L59 and (326/82).ccls.	US-PGPUB	OR	ON	2006/07/06 18:40

Updated searched circled L #'s

EAST Interference Search
EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((write ADJ head) and ((flexible ADJ printed ADJ circuit) or FPC) and (impedance NEAR5 match\$3)).clm.	US-PGPUB	OR	ON	2006/07/06 19:08